

Double Component Glue For Pre Assembled Aluminum Windows And Doors Corner Joints

Our Product Introduction

for more products please visit us on aluminum-windowhardware.com

Basic Information

- Place of Origin: China
- Brand Name: XuanQing
- Model Number: Cotoo 1
- Minimum Order Quantity: 500PCS
- Price: Negotiable
- Packaging Details: Carton Box
- Delivery Time: 10-15 work days
- Payment Terms: TT
- Supply Ability: 3000000pcs/mon



Product Specification

- Warranty: 1 Year
- After-sale Service: Online Technical Support, Onsite Training
- Project Solution Capability: Total Solution For Projects
- Application: Apartment, Door Window Manufacture
- Design Style: Traditional
- Type: Corner Angle Double Components Adhesives, Polyurethane Adhesive
- Product Name: Corner Angle Adhesive
- Usage: Construction
- Classification: Double Components Adhesives
- Function: Room Curing
- Morphology: Solvent Free
- Material: Polyurethane
- Characteristic: Waterproof
- Color: Light Yellow



Product Description

Double Component Glue For Pre Assembled Aluminum Windows And Doors Corner Joints

Product Specifications

Attribute	Value
Warranty	1 Year
After-sale Service	Online technical support, Onsite Training
Project Solution Capability	Total solution for projects
Application	Apartment, Door Window Manufacture
Type	Corner Angle Double Components Adhesives, polyurethane adhesive
Material	Polyurethane
Characteristic	Waterproof
Color	Light Yellow

Product Description

This two-component polyurethane adhesive sealant is specifically designed for corner angle frame assembly of windows and doors. It provides a strong and durable bond, ensuring the stability and integrity of the frame.

Key Features:

High strength: Offers strong mechanical strength to withstand the stresses and strains of daily use.

Weather resistance: Resistant to UV rays, moisture, and temperature changes, ensuring long-term performance.

Solvent-free: Safe for use in various environments without harmful emissions.

Room curing: Cures effectively at ambient temperatures for convenient application.

Product Images

TEST REPORT

No. : GZMR230400940201

Date : Apr 21, 2023

Page: 4 of 4



Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
Universal Testing Machine	Z030	GZMR-PL-E140	2022-06-21	2023-06-20

***** End of report*****

TEST REPORT

No. : GZMR230400940201

Date : Apr 21, 2023

Page: 3 of 4

Test Item: Tensile Lap-Shear Strength

Sample Description: Adherend

Test Method: ISO 4587:2003

Test Condition:

Shear area: $25.2 \times 14.3 \text{ mm}^2$

Testing speed: 9.0MPa/min

Number of specimens tested: 5


Lab Environmental Condition: $23 \pm 2^\circ\text{C}$, $50 \pm 5\% \text{ RH}$

Test Result:

Test Item	Test Result
Tensile Lap-Shear Strength	19.6MPa

Note: Failure mode: Cohesion failure.

Test Photo:



TEST REPORT

No. : GZMR230400940201

Date : Apr 21, 2023

Page: 2 of 4

Summary of Results:

No.	Test Item	Test Method	Result	Conclusion
1	Tensile Lap-Shear Strength	ISO 4587:2003	19.6MPa	/


Note:

Pass : Meet the requirements;

Fail : Does not meet the requirements;

/ : Not Apply to the judgment.

*** End of Report ***



Phthalates Testing Flow Chart



Where otherwise agreed in writing, this document is issued by the Company subject to the General Conditions of Service provided online, available on request or accessible at <http://www.apac.com/terms-and-conditions.aspx> and, for electronic format documents, the terms and conditions of the applicable electronic format document. The Company's acceptance of the Client's order constitutes the Company's agreement to the terms and conditions of the applicable electronic format document. If the Client is drawn to the limitation of liability, indemnification and limitation issues defined therein. Any holder of this document is deemed to have accepted the terms and conditions of the applicable electronic format document. The Client's acceptance of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to the transaction from their respective obligations. The Client's acceptance of the Client's instructions, if any, shall constitute the Client's acceptance in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or expiration date of this document shall constitute a breach of the contract and shall be subject to the fullest extent of the law. Where otherwise stated, the results shown in this test report refer only to the sample(s) tested.

No. SZXEC2202967905

Date: 06 Sep 2022

Page 3 of 6

Test Item(s)	Limit	Unit	MDL	023
Tetrabromodiphenyl ether	-	mg/kg	5	ND
Pentabromodiphenyl ether	-	mg/kg	5	ND
Hexabromodiphenyl ether	-	mg/kg	5	ND
Heptabromodiphenyl ether	-	mg/kg	5	ND
Octabromodiphenyl ether	-	mg/kg	5	ND
Nonabromodiphenyl ether	-	mg/kg	5	ND
Decabromodiphenyl ether	-	mg/kg	5	ND
Dibutyl Phthalate (DBP)	1000	mg/kg	50	ND
Butyl benzyl Phthalate (BBP)	1000	mg/kg	50	ND
Bis(2-ethylhexyl) Phthalate (DEHP)	1000	mg/kg	50	ND
Diisobutyl Phthalate (DIBP)	1000	mg/kg	50	ND

Remark1: The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value and only for reference.

Remark2: The limit(s) was/were submitted by applicant.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ($w=0$) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed and available on request at <http://www.spa.com/eng/Terms-and-Conditions.aspx> and for electronic formal documents, subject to Terms and Conditions for Electronic Documents at <http://www.spa.com/eng/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to the Client and this document does not exonerate parties to a contract from their obligations. This document is not intended to constitute an offer, recommendation or advice, in whole or in part, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the

Results shown in this test report refer only to the sample(s) tested.
Attention: To check the authenticity of testing, inspection report & certificate, please contact us at telephone: 86-0755-83021449,
or email: CN.Doccheck@agap.com

Member of the SGS Group (SGS SA)

Standard packaging includes 10 pairs per box. Custom packaging solutions available to meet specific customer requirements.



About Manufacturer

Foshan Xuanqing Door and Window Accessories Co., Ltd. is a specialized manufacturer of door and window accessories, offering aluminum corner code customization, research, development, and manufacturing services. With over ten years of industry experience, we provide innovative solutions including:

- Various injection corner codes
- Movable and universal corner codes
- Anti-fall devices and hinges
- Curtain wall pendants

Our company holds multiple patents and complies with national quality standards, serving both domestic and international markets with a commitment to integrity, quality, and innovation.



SOME HONORS



宣清智连科技
Xuanqing Zhilian Technology

Foshan Xuanqing Zhilian Technology Co., LTD



+8613827792344



fsxuanqing@gmail.com



aluminum-windowhardware.com

Guangdong Foshan Nanhai No. 5-1, Songgang Lianbiao Industrial Zone, Shishan Town