

116mm Aluminium Heavy Duty Flag Hinges For Swing Door Opening Angle 0-180 Degree

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: XuanQing
- Minimum Order Quantity: 500PCS
- Price: Negotiable
- Packaging Details: Carton Box
- Delivery Time: 10-15 work days
- Payment Terms: TT
- Supply Ability: 3000000pcs/mon



Product Specification

- Warranty: 3 Years
- After-sale Service: Online Technical Support, Onsite Training, Onsite Inspection, Return And Replacement
- Project Solution Capability: Graphic Design, Total Solution For Projects
- Application: All Swing Door
- Design Style: Modern
- Type: N
- Product Name: Hinge
- Material: 6063-T5 Primary Aluminum
- Color: Silver Or Customization Options
- Applications: All Swing Door
- Opening Angle: 0-180 Degree
- Species: Door Hardware
- Packing: Carton Box
- Finish: Oxidation / Sandblasting



Product Description

116mm Aluminium Heavy Duty Flag Hinges For Swing Door Opening Angle 0-180 Degree

Product Overview

The 116mm Aluminium Heavy Duty Flag Hinges are designed for all swing doors, made from high-quality 6063-T5 primary aluminum for exceptional durability and strength. With a 0-180 degree opening angle, these hinges provide maximum flexibility for smooth door operation in both residential and commercial applications.

Key Features

- Heavy-duty construction for reliable support
- Smooth operation with 0-180 degree opening angle
- Premium 6063-T5 primary aluminum material
- Available in silver or custom colors
- Oxidation/sandblasting finish for durability
- 3-year warranty for peace of mind

Specifications

Attribute	Value
Product Name	Hinge
Material	6063-T5 primary aluminum
Color	Silver or customization options
Applications	All swing doors (flush doors, bathroom doors, room doors, interior doors, aluminum and wood doors)
Opening Angle	0-180 Degree
Finish	Oxidation / Sandblasting
Packing	Carton Box (300pcs/ctn for small hinges, 200pcs/ctn for large hinges)
Warranty	3 years

Product Images



01

6063-T5 PRIMARY ALUMINUM
NO RUST AND NO FADING

02

SHAFT THICKNESS 10.0mm
HINGE PIECE THICKNESS 2.5MM

Stainless Steel Shaft
Optional iron core




03

HINGE WEIGHT 120G
QUALITY ASSURANCE



Installation Guide

1. Upper piece installation distance: 10cm from top of door
2. Middle piece installation distance: 40cm from top of door
3. Lower piece installation distance: 10cm from bottom of door




Manufacturing & Quality

Our hinges are produced with advanced manufacturing technology and undergo strict quality control to ensure precision and durability. We offer comprehensive after-sale services including online technical support, onsite training, and inspection services.



Production workshop



Advanced Equipment



Advanced Equipment



Excellent materials



Warehouse



Warehouse

Company Profile

Foshan Xuanqing Door and Window Accessories Co., Ltd. specializes in producing high-quality hinges for doors and

windows. With a professional production team and strict management system, we craft each hinge with precision to meet diverse customer needs in both residential and commercial applications.



SOME HONORS





Foshan Xuanqing Zhilian Technology Co., LTD



+8613827792344



fsxuanqing@gmail.com



aluminum-windowhardware.com

Guangdong Foshan Nanhai No. 5-1, Songgang Lianbiao Industrial Zone, Shishan Town