

Doors Four Hole Heavy Duty Aluminum Hinge 104mm Length In Industrial Settings

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: XuanQing
- Minimum Order Quantity: 500PCS
- Price: Negotiable
- Packaging Details: Carton Box
- Delivery Time: 10-15 work days
- Payment Terms: TT
- Supply Ability: 3000000pcs/mon



Product Specification

- Warranty: 3 Years
- After-sale Service: Online Technical Support, Onsite Training, Onsite Inspection, Return And Replacement
- Project Solution Capability: Graphic Design, Total Solution For Projects
- Application: All Swing Door
- Design Style: Modern
- Type: N
- Product Name: Hinge
- Material: 6063-T5 Primary Aluminum
- Color: Silver Or Customization Options
- Applications: All Swing Door
- Opening Angle: 0-180 Degree
- Species: Door Hardware
- Packing: Carton Box
- Finish: Oxidation / Sandblasting



Product Description

104mm Four Hole Heavy Duty Aluminum Hinge for Industrial Doors

Product Overview

The 104mm-length four-hole aluminum hinge is engineered for heavy-duty industrial doors. Constructed from high-quality 6063-T5 primary aluminum, this hinge provides exceptional durability and reliable performance in demanding industrial environments. Its four-hole design ensures a secure, stable connection for smooth door operation.

Key Features

Heavy-duty construction for industrial applications

Four-hole design for maximum stability

6063-T5 primary aluminum material

0-180 degree opening angle

Oxidation/sandblasting finish

Available in silver or custom colors

Technical Specifications

Product Name	Hinge
Material	6063-T5 primary aluminum
Length	104mm
Applications	Industrial doors, flush doors, aluminum doors
Warranty	3 years
Packaging	Small hinges 300pcs/ctn, large hinges 200pcs/ctn

Product Images

GIVE YOUR FAMILY
A QUIET ENVIRONMENT





01

6063-T5 PRIMARY ALUMINUM
NO RUST AND NO FADING



02

SHAFT THICKNESS 10.0mm
HINGE PIECE THICKNESS 2.5MM

Stainless Steel Shaft
Optional iron core




03


HINGE WEIGHT 120G
QUALITY ASSURANCE

Installation Guide

1. Upper hinge installation: 10cm from top of door
2. Middle hinge installation: 40cm from top of door
3. Lower hinge installation: 10cm from bottom of door



Manufacturing & Quality





Excellent materials



Warehouse



Warehouse

Company Profile

Foshan Xuanqing Door and Window Accessories Co., Ltd. specializes in high-quality hinge production. With advanced manufacturing technology and strict quality control, we deliver durable, precision-engineered hinges for both commercial and residential applications. Our professional team ensures each product meets the highest standards of performance and reliability.





宣清智连科技
Xuanqing Zhilian Technology

Foshan Xuanqing Zhilian Technology Co., LTD



+8613827792344



fsxuanqing@gmail.com



aluminum-windowhardware.com

Guangdong Foshan Nanhai No. 5-1, Songgang Lianbiao Industrial Zone, Shishan Town