# Light Yellow PU Corner Angle Glue for Doors & Windows Double Components Adhesive with High Bonding Strength

#### **Basic Information**

Place of Origin: China
Brand Name: XuanQing
Model Number: Cotoo 1
Minimum Order Quantity: 500PCS
Price: Negotiable
Packaging Details: Carton Box
Delivery Time: 10-15 work days

• Payment Terms: T/T

• Supply Ability: 3000000pcs/mon



# **Product Specification**

• Warranty: 1 Year

• After-sale Service: Online Technical Support, Onsite Training

• Project Solution Capability: Total Solution For Projects

Application: Apartment, Door Window Manufacture

Design Style: Traditional

• Type: Corner Angle Double Components

Adhesives, Polyurethane Adhesive

Product Name: Corner Angle Adhesive

• Usage: Construction

Classification: Double Components Adhesives

Function: Room Curing
Morphology: Solvent Free
Material: Polyurethane
Characteristic: Waterproof
Color: Light Yellow



# More Images











# **Product Description**

#### **Light Yellow PU Corner Angle Glue for Doors & Windows**

**Double Components Adhesive with High Bonding Strength** 

# **Product Attributes**

Attribute	Value
Warranty	1 Year
After-sale Service	Online Technical Support, Onsite Training
Project Solution Capability	Total Solution For Projects
Application	Apartment, Door Window Manufacture
Design Style	Traditional
Туре	Corner Angle Double Components Adhesives, Polyurethane Adhesive
Product Name	Corner Angle Adhesive
Usage	Construction
Classification	Double Components Adhesives
Function	Room Curing
Morphology	Solvent Free
Material	Polyurethane
Characteristic	Waterproof
Color	Light Yellow


Light Yellow PU Corner Angle Glue for Doors & Windows is a high-performance double-component adhesive designed specifically for bonding corners and angles of doors and windows. Crafted from polyurethane (PU) material, this light yellow glue offers excellent bonding strength to securely join various materials commonly used in door and window fabrication.


# **Key Features**

- · High bonding strength for secure joints
- Two-component formula ensures rapid and stable curing
- Provides reliable structural support and durability
- Resistant to moisture and temperature fluctuations
- Easy application for efficient installation
- · Maintains a neat, professional finish

#### **Test Report Images**









Foshan **TEST REPORT** No. : GZMR230400940201 Date : Apr 21, 2023 Page: 1 of 4 GUANGDONG LIWANG COMPOSITE TECHNOLOGY CO., LTD. CUSTOMER NAME: ADDRESS: NO. 8 WEST NO. 2 INDUSTRIAL ROAD, MANFENG, SHATIAN, Sample Name Above DONGGUAN, CHINA : LI WANG TWO-COMPONENT HORN ADHESIVE Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client. SGS Ref. No. : CP23-017432 Date of Receipt : Apr 14, 2023 Testing Start Date : Apr 14, 2023 Testing End Date : Apr 21, 2023 Loshall Angliding : For further details, please (Unless otherwise stated to the sample(s) tested) Signed for SGS-CSTC Standards Technical Services Co., Ltd, Guangzhou Branch Turand! Kelly Lee Authorized signatory Foshan INO







COSTUMENT SGS No. SZXEC2202967905 Test Report Date: 06 Sep 2022 Foshan Page 3 of 6 5 100 **Yuandi** MDL 003 Test Item(s) Unit Tetrabromodiphenyl ether ND mg/kg Pentabromodiphenyl ether Hexabromodiphenyl ether mg/kg mg/kg ND ND 5 ND ND Heptabromodiphenyl ether mg/kg 5 5 5 mg/kg mg/kg Octabromodiphenyl ether ND ND Nonabromodiphenyl ether 65 High 1000 uncutyl Phithialate (DBP)
Butyl benzyl Phthalate (BBP)
Bis(2-ethylhexyl) Phthalate (DEHP)
Disobutyl Phthalate (DIBP) mg/kg mg/kg Dibutyl Phthalate (DBP)
Butyl Paged Bott Decabromodiphenyl ether 50 50 50 ND ND ND ND ND CHIND mg/kg mg/kg 50 Remark1: The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The

Remark1: The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value and only for reference.

Remark2: The limit(s) was/were submitted by applicant.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ( w = 0) stated in ILAC-G8:09/2019.

+Uandin Foshan Auanding

Foshan Yuanding

Foshan **Auanding** 

Foshan



INO

| Nov 1947 (Not 15 for 17, Part 15 for 1947 (Not 19

Test Report

No. \$ZXEC2202967905

Foshan

Test Result(s):

Test Part Description :

Specimen No. SGS Sample ID

SN1

SZX22-029679.003 A#Beige solid material + B#Beige solid material + C#Beige solid material

(1) 1 mg/kg = 1 ppm = 0.00013( (2) MDL = Method Detaction

(1) 1 mg/kg = 1 ppm = 0.0001% (2) MDL = Method Detection Limit (3) ND = Not Detected ( < MDL.) (4) "-" = Not Regulated

Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), and Dissobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC62321-5:2013, IEC62321-7-2:2017, IEC 62321-6:2015 and IEC62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	~ Limit C	Unit	MDL	003	
Cadmium (Cd)	5 100	mg/kg	2	ND OF O	
Lead (Pb)	01,000	mg/kg	2	NDC :11	
Mercury (Hg)	1.000	mg/kg	2	ND CONTRACTOR	
Hexavalent Chromium (Cr(VI))	1,000	mg/kg	8	( ND O	
Sum of PBBs	1,000	mg/kg	*	ND	
Monobromobiphenyl		mg/kg	5	ND	
Dibromobiphenyl		mg/kg	5	ND	
Tribromobiphenyl		mg/kg	5	ND	
Tetrabromobiphenyl		mg/kg	5	ND	
Pentabromobiphenyl		mg/kg	5	ND	
Hexabromobiphenyl	200	mg/kg	5	ND	
Heptabromobiphenyl	130	mg/kg	5	ND .	
Octabromobiphenyl	100.0	mg/kg	5	ND STATIONS	
Nonabromobiphenyl	(0,0)	mg/kg	5	ND STORY	
Decabromobiphenyl	10	mg/kg	5	ND O	
Sum of PBDEs	1,000	mg/kg	-	ND.	
Monobromodiphenyl ether	-	mg/kg	5	ND +	
Dibromodiphenyl ether		mg/kg	5	ND	
Tribromodiphenyl ether	-	mg/kg	5	ND	



Ino



#### **Packaging**



Standard packaging includes 10 pairs in a box. Custom packaging options available to meet specific customer requirements.

# About Foshan Xuanqing Door and Window Accessories Co., Ltd.

We are a manufacturer specializing in door and window accessories, offering aluminum corner code customization, research, development, manufacturing, and sales. Our product range includes various types of corner codes, anti-fall devices, elevators, hinges, and curtain wall pendants. With over ten years of experience in the industry, we hold multiple patents and our products meet national standards. We serve both domestic and international markets, including Europe and America, with our commitment to quality, innovation, and customer satisfaction.







+8613827792344

fsxuanqing@gmail.com

aluminum-windowhardware.com

Guangdong Foshan Nanhai No. 5-1, Songgang Lianbiao Industrial Zone, Shishan Town