

AlumaLock 45° Sliding System Heavy Duty Corner Fitting with Square Hole

Our Product Introduction

for more products please visit us on aluminum-windowhardware.com

Basic Information

- Place of Origin: China
- Brand Name: XuanQing
- Model Number: N/M
- Minimum Order Quantity: 500PCS
- Price: Negotiable
- Packaging Details: Carton Box
- Delivery Time: 10-15 work days
- Payment Terms: T/T
- Supply Ability: 3000000pcs/mon



Product Specification

- Warranty: 1 Year
- After-sale Service: Online Technical Support, Onsite Training, Onsite Inspection, Free Spare Parts, Return And Replacement
- Project Solution Capability: Graphic Design, Total Solution For Projects
- Application: Hotel, home, office
- Design Style: Modern
- Product Name: Aluminum Corner Joint
- Material: 6063-T5 Primary Aluminum
- Color: Primary Colors
- Usage Scenarios: Aluminum Profile Doors And Windows
- Function: Connecting The Corner Of The Door Or Window Spelling
- Feature: Durable And Solid
- Packing: Carton Box
- Surface Treatment: Optional Aluminum Surface/surface



More Images



Product Description

AlumaLock 45° Sliding System Heavy Duty Corner Fitting with Square Hole

Key Features

- Precision-engineered 45° corner connection for sliding frames
- Constructed from high-grade 6063-T5 aluminum alloy
- Reinforced heavy-duty thick wall design
- Standard strong square hole (M8/M10 compatible)
- Protective silver anodized coating for corrosion resistance
- Ideal for high-strength sliding doors, partitions, and displays

Product Specifications

- Material:**
6063-T5 primary aluminum
- Color:**
Primary colors
- Surface Treatment:**
Optional aluminum surface/surface sandblasting
- Packing:**
Carton box (500pcs/carton standard or custom)
- Warranty:**
1 Year
- Applications:**
Hotel, home, office aluminum profile doors and windows

Detailed Description

The AlumaLock Corner Fitting provides robust, perfectly aligned 45-degree corners for demanding sliding aluminum systems. Its precision engineering ensures superior load-bearing capacity and resistance to movement stress, while the exact 45° angle guarantees seamless miter joints for smooth sliding operation in doors, displays, and partitions.

Height Parameters (Unit: mm)

	7
	7.5
	8
	8.5
	9
	9.5
	10
	10.5
	11
	11.5
	12
	12.5

13

13.5

14

14.5

15

16.5

17

17.5

18

18.5

19

19.5

20

20.5

21

21.5

22

22.5

23

23.5

24

24.5

25

25.5

26

26.5

27

27.5

43.5

Product Images



SOME HONORS



Additional Services

We offer comprehensive support including OEM/ODM services, free samples, mold customization, and one-stop solutions. Our after-sale services include online technical support, onsite training, inspection, and free spare parts.

Delivery: Typically within 25 days after order confirmation. Payment terms: 30% T/T deposit in advance, 70% T/T balance before shipment.



宣清智连科技
Xuanqing Zhilian Technology

Foshan Xuanqing Zhilian Technology Co., LTD



+8613827792344



fsxuanqing@gmail.com



aluminum-windowhardware.com

Guangdong Foshan Nanhai No. 5-1, Songgang Lianbiao Industrial Zone, Shishan Town